The University of Alabama at Birmingham

## **EQUIPMENT SAFETY RELEASE FORM**

| Principal Investigator:  |
|--|
| Proper disposal of all hazardous materials used in laboratories is, in the first instance, the responsibility of the principal investigator or researcher to whom a laboratory is assigned. Ultimate responsibility for hazardous materials management lies with each department. Proper disposal of hazardous materials is required whenever a responsible individual leaves the university or transfers to a different laboratory ("Responsible individual" can include faculty, staff, and postdoctoral and graduate students.)   |
| If improper management of hazardous materials at lab closeout requires removal services from the Department of Environmental Health and Safety (EH&S), the responsible department will be charged for this service.  |
| Any regulatory action or fines resulting from improper management or disposal of hazardous materials will accrue to the responsible department. EH&S will not be responsible for loss incurred by individuals or departments as a result of regulation-mandated removal of hazardous materials. By signing this form, the lab representative is certifying that the following equipment was decontaminated as stated below.  • Equipment that has a biohazard/radioactive/chemical label affixed to it must be decontaminated properly and tagged before it is moved to a new building or room location.  For recommended procedures: Biohazard Equipment Disinfection/Decontamination Chemical Equipment Disinfection/Decontamination Radioactive - Call 205-934-2487  • Complete this form and email a copy with the type of hazard (biohazard, radioactive, chemical) as the subject to the UAB EH&S Equipment Tag-Out: labmove@uab.edu  • Remove the biohazard/radioactive/chemical label after decontamination.  • An EH&S representative will provide a "Safety Release Tag" for each piece of appropriately decontaminated equipment after 2-3 working days of receiving this completed form. |

- d

| Hazard Type<br>(biohazard,<br>radioactive,<br>chemical) | Serial #<br>Or<br>UAB ID<br>Code | Equipment<br>Type<br>(refrigerator,<br>freezer, etc.) | Decontamination Procedure | Moved From<br>Building /<br>Room |  | Moved To<br>Building /<br>Room |  |
|---|----------------------------------|---|---------------------------|----------------------------------|--|--------------------------------|--|
|   |                                  |   |                           |                                  |  |                                |  |
|   |                                  |   |                           |                                  |  |                                |  |
|   |                                  |   |                           |                                  |  |                                |  |
|   |                                  |   |                           |                                  |  |                                |  |
| Lab Representative:                                     |                                  | Date Form Subm  | nitted:                   | 1                                |  |                                |  |

| Lab Representative:  |  |  |  | Date Form Submitted: |  |  |  |  |  |  |
|----------------------|--|--|--|----------------------|--|--|--|--|--|--|
| Phone #:             |  |  |  | Scheduled Move Date: |  |  |  |  |  |  |
| EH&S Representative: |  |  |  | Date Tagged Out:     |  |  |  |  |  |  |